To: Michael B. Gillett[mgillett@gillettlawfirm.com]

From: Vergeront, Julie

Sent: Wed 3/23/2016 6:40:56 PM Subject: RE: Multistar Industries

;;;; Mike,

It is unclear from the documents Multistar provided whether the tank rentals reflected as retail sales all reflect tanks filled with ammonia or whether all or some of the tank rentals were of empty tanks.

Under the attached OSHA interpretation, only income the facility receives from sales of the chemical covered under the PSM standard (here, ammonia) are considered in determining whether the facility qualifies for the retail exemption to OSHA's PSM requirements.

We ask that Mulitstar clarify this issue. Please provide a response by tomorrow, Thursday, March 24<sup>th</sup>. This clarification should also be addressed by a certification by Multistar as to truth, accuracy and completeness.

Please let me know if you have any questions.

Regards,

## Julie A. Vergeront

**Assistant Regional Counsel** 

EPA Region 10

1200 Sixth Avenue, Suite 900

Seattle, WA 98101

206-553-1497

vergeront.julie@epa.gov

From: Michael B. Gillett [mailto:mgillett@gillettlawfirm.com]

**Sent:** Tuesday, March 22, 2016 2:57 PM

To: Vergeront, Julie

Subject: Multistar Industries

Julie,

The attached link will take you to the retail facility documentation:

https://onedrive.live.com/redir?resid=888D9DD6002616B3!5199&authkey=!ABTemldc\_DzXRjs&ithint=folder

Michael B. Gillett

## The Gillett Law Firm

12535 15th Avenue N.E., Suite 212

Seattle, Washington 98125-4095

Phone: (206) 706-4692

Fax: (206) 706-4762

Cell: (206) 399-4011

Email: Michael B. Gillett (mgillett@gillettlawfirm.com)

-- CONFIDENTIALITY NOTICE --

THIS MESSAGE AND/OR THE DOCUMENT(S) ACCOMPANYING THIS ELECTRONIC TRANSMISSION MAY CONTAIN PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, BE AWARE THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR USE OF THE CONTENTS OF THIS TRANSMISSION IS PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US BY TELEPHONE, MAIL OR ELECTRONIC MAIL, AND DESTROY THIS COMMUNICATION.